

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>TX Department of Criminal Justice</b>	Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
--------------------------------------------------	-------------------------------	-----------------------	--------------------	-----

**2) WELL LOCATION**

County <b>Trawis</b>	Physical Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
-------------------------	----------------------------------------	-----------------------	--------------------	-----

**3) Type of Work**

☐ New Well ☐ Deepening  
☐ Reconditioning

**B-3**

**4) Proposed Use (check)** ☐ Monitor ☒ Environmental Soil Boring ☐ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

**5) N↑**

**6) Drilling Date**

Started **1/24/01**

Completed **1/24/01**

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
<b>8</b>	<b>SURFACE</b>	<b>5.0</b>

**7) Drilling Method (check)** ☐ Driven

☐ Air Rotary ☐ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☒ Other **Hollow Stem Auger**

From (ft)	To (ft)	Description and color of formation material
<b>0</b>	<b>5</b>	<b>TOPSOIL, silty loam/ LEAN CLAY, silt, Fine sand, drk. yellowish-brown</b>

**8) Borehole Completion** ☐ Open Hole ☐ Straight Wall  
☐ Under-reamed ☐ Gravel Packed ☒ Other **PLUGGED**  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
		<b>N/A</b>			

(Use reverse side of Well Owner's copy, If necessary)

**9) Cementing Data**

Cementing from **0** ft. to **5.0** ft. # of sacks used **3**  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_

Method Used **TREMIE**  
Cementing By **LAWRENCE TOBOLA**

Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**

☐ Well plugged within 48 hours **N/A**

Casing left in well:		Cement/Bentonite placed in well:		Sacks used
From (ft)	To (ft)	From (ft)	To (ft)	

**10) Surface Completion**

**N/A**

☐ Specified Surface Slab Installed  
☐ Specified Surface Sleeve Installed  
☐ Pitless Adapter Used  
☐ Approved Alternative Procedure Used

**14) Typepump**

**N/A**

☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

**15) Water Test**

**N/A**

Type test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**11) Water Level**

**N/A**

Static level \_\_\_\_\_ ft. below \_\_\_\_\_ Date **/ /**  
Artesian Flow \_\_\_\_\_ gpm. Date **/ /**

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water \_\_\_\_\_ Depth of Strata \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☐ No

**12) Packers**

Type

Depth

FILE ID	SEO #
<b>N/A</b>	
EMP #	DESC CO

Company or Individual's Name (type or print) **BEST DRILLING SERVICES, INC.**

**MAY 1 2001 13026-M**

Address **P.O. BOX 845**

City **FRIENDSWOOD**

State **TX**

Zip **77549**

Signature

**Licensed Driller/Pump Installer**

**4/16/01**

Date

Signature

**Apprentice**

Date

**ORIGINAL**

Copies to TDLR - Owner - Driller/Pump Installer

Form provided by Forms On-A-Disk, Inc. ( Dallas, Texas ( (214) 340-9429

[REDACTED]

44

100

100

100

100

100

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

1) OWNER									
Name <b>TX Department of Criminal Justice</b>		Address <b>8101 FM 969</b>		City <b>Austin</b>		State <b>TX</b>		Zip	
2) WELL LOCATION									
County <b>Trawis</b>		Physical Address <b>8101 FM 969</b>		City <b>Austin</b>		State <b>TX</b>		Zip	
3) Type of Work									
<input type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <b>B-2</b>		Lat.		Long.		Grid #		5) <b>N↑</b>	
6) Drilling Date Started <b>1/24/01</b> Completed <b>1/24/01</b>		4) Proposed Use (check) <input type="checkbox"/> Monitor <input checked="" type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No				7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Other <b>Hollow Stem Auger</b>			
		Diameter of Hole Dia. (in) From (ft) To (ft) <b>8 SURFACE 20.0</b>							
From (ft)		To (ft)		Description and color of formation material		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <b>PLUGGED</b> If Gravel Packed give the interval from ft. to ft.			
<b>0</b>		<b>4</b>		<b>TOPSOIL, silty loam/ FINE GRAVEL</b>		Casing, Blank Pipe, and Well Screen Data Dia. (in.) New Or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft) From To Gage Casing Screen <b>N/A</b>			
<b>4</b>		<b>9</b>		<b>LEAN CLAY, silt, sand</b>					
<b>9</b>		<b>20</b>		<b>SILTY SAND, lt. brown</b>					
(Use reverse side of Well Owner's copy, If necessary)						9) Cementing Data Cementing from <b>0</b> ft. to <b>20.0</b> ft. # of sacks used <b>6</b> ft. to ft. # of sacks used			
						Method Used <b>TREMIE</b> Cementing By <b>LAWRENCE TOBOLA</b> Distance to septic system field or other concentrated contamination ft. Method of verification of above distance			
13) Plugged <input type="checkbox"/> Well plugged within 48 hours <b>N/A</b>									
Casing left in well:		Cement/Bentonite placed in well:							
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used					
14) Typepump <b>N/A</b>									
<input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder		<input type="checkbox"/> Other							
Depth to pump bowls, cylinder, jet, etc., ft.									
15) Water Test <b>N/A</b>									
Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated		Yield: gpm with ft. drawdown after hrs.							
16) Water Quality									
Did you knowingly penetrate any strata which contain undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER? Type of water Depth of Strata Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No									
Company or Individual's Name (type or print) <b>BEST DRILLING SERVICES, INC.</b>						Lic. No. <b>3026-M</b>			
Address <b>P.O. BOX 845</b>		City <b>FRIENDSWOOD</b>		State <b>TX</b>		Zip <b>77549</b>			
Signature <b>[Signature]</b>		Date <b>4/16/01</b>		Signature <b>[Signature]</b>		Date <b>4/16/01</b>			
Licensed Driller/Pump Installer				Apprentice					

**ORIGINAL**

Copies to TDLR - Owner - Driller/Pump Installer

Form provided by Forms On-A-Disk, Inc. ( Dallas, Texas ( 214) 340-9429



• • • • •

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>TX Department of Criminal Justice</b>	Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
--------------------------------------------------	-------------------------------	-----------------------	--------------------	-----

**2) WELL LOCATION**

County <b>Trawis</b>	Physical Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
-------------------------	----------------------------------------	-----------------------	--------------------	-----

**3) Type of Work**

☐ New Well ☐ Deepening  
☐ Reconditioning

**B-1**

**4) Proposed Use (check)** ☐ Monitor ☒ Environmental Soil Boring ☐ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

**6) Drilling Date**

Started **1/23/01**

Completed **1/23/01**

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
-----------	-----------	---------

<b>8</b>	<b>SURFACE</b>	<b>20.0</b>
----------	----------------	-------------

**7) Drilling Method (check)**

☐ Driven  
☐ Air Rotary ☐ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☒ Other **Hollow Stem Auger**

From (ft)	To (ft)	Description and color of formation material
<b>0</b>	<b>5</b>	<b>TOPSOIL/ LEAN CLAY, silt, drk. brown</b>
<b>5</b>	<b>19</b>	<b>LEAN CLAY, silt, drk. yellowish-brown</b>
<b>19</b>	<b>20</b>	<b>POORLY GRADED SAND</b>

**8) Borehole Completion** ☐ Open Hole ☐ Straight Wall  
☐ Under-reamed ☐ Gravel Packed ☐ Other

If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
		<b>N/A</b>			

**9) Cementing Data**

Cementing from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_

Method Used **TREMIE**  
Cementing By **LAWRENCE TOBOLA**

Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**

☐ Well plugged within 48 hours **N/A**

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**

**N/A**

☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder  
☐ Other

Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

**15) Water Test**

**N/A**

Typetest ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated

Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?

Type of water \_\_\_\_\_ Depth of Strata \_\_\_\_\_

Was a chemical analysis made? ☐ Yes ☐ No

**10) Surface Completion**

**N/A**

☐ Specified Surface Slab Installed  
☐ Specified Surface Sleeve Installed  
☐ Pitless Adapter Used  
☐ Approved Alternative Procedure Used

**11) Water Level**

**18.0'**

Static level \_\_\_\_\_ ft. below \_\_\_\_\_ Date **/ /**  
Artesian Flow \_\_\_\_\_ gpm. Date **/ /**

**12) Packers**

Type

Depth

**N/A**

Company or Individual's Name (type or print) **BEST DRILLING SERVICES, INC.**

Lic. No. **3026-M**

Address **P.O. BOX 845**

City **FRIENDSWOOD**

State **TX**

Zip **77549**

Signature \_\_\_\_\_ Date **4/16/01**

Signature \_\_\_\_\_ Date \_\_\_\_\_


Licensed Driller/Pump Installer

Date

Apprentice

Date

**ORIGINAL**



Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>TX Department of Criminal Justice</b>	Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
--------------------------------------------------	-------------------------------	-----------------------	--------------------	-----

**2) WELL LOCATION**

County <b>Trawis</b>	Physical Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
-------------------------	----------------------------------------	-----------------------	--------------------	-----

**3) Type of Work**

☒ New Well ☐ Deepening  
☐ Reconditioning

**TMW-3**

**4) Proposed Use (check)** ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☒ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

**6) Drilling Date**

Started **1/23/01**

Completed **1/23/01**

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
<b>8</b>	<b>SURFACE</b>	<b>44.0</b>

**7) Drilling Method (check)** ☐ Driven

☐ Air Rotary ☐ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☒ Other **Hollow Stem Auger**

From (ft)	To (ft)	Description and color of formation material
<b>0</b>	<b>6</b>	<b>TOPSOIL, silty loam/ LEAN CLAY, silt, Fine sand, drk. brown</b>
<b>6</b>	<b>10</b>	<b>CLAYEY SILT, clay, fine sand, yellowish-Brown</b>
<b>10</b>	<b>13</b>	<b>SILTY SAND</b>
<b>13</b>	<b>14</b>	<b>CLAYEY SILT</b>
<b>14</b>	<b>23</b>	<b>POORLY GRADED SAND</b>
<b>23</b>	<b>44</b>	<b>WELL GRADED SAND, lt. tan</b>

**8) Borehole Completion** ☐ Open Hole ☐ Straight Wall  
☐ Under-reamed ☐ Gravel Packed ☒ Other **PLUGGED**  
If Gravel Packed give the Interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<b>2</b>	<b>N</b>	<b>SCHL 40 PVC</b>	<b>0</b>	<b>34</b>	
<b>2</b>	<b>N</b>	<b>SCHL 40 PVC</b>	<b>34</b>	<b>43.8</b>	<b>0.010</b>

**9) Cementing Data**

Cementing from **0** ft. to **44.0** ft. # of sacks used **8**  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_

Method Used **TREMIE**

Cementing By **LAWRENCE TOBOLA**

Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.

Method of verification of above distance \_\_\_\_\_

**13) Plugged** **X** Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used
<b>NONE</b>		<b>0</b>	<b>44.0</b>	<b>8</b>

**14) Typepump**

☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

**15) Water Test**

Type test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated

Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?

☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?

Type of water \_\_\_\_\_ Depth of Strata \_\_\_\_\_

Was a chemical analysis made? ☐ Yes ☐ No

**10) Surface Completion**

**N/A**

☐ Specified Surface Slab Installed  
☐ Specified Surface Sleeve Installed  
☐ Pitless Adapter Used  
☐ Approved Alternative Procedure Used

**11) Water Level**

**39.0'**

Static level \_\_\_\_\_ ft. below \_\_\_\_\_ Date **/ /**

Artesian Flow \_\_\_\_\_ gpm. Date **/ /**

**12) Packers**

Type

Depth

**N/A**

Company or Individual's Name (type or print) **BEST DRILLING SERVICES, INC.**

Lic. No. **3026-M**

Address **P.O. BOX 845**

City **FRIENDSWOOD**

State **TX**

Zip **77549**

Signature \_\_\_\_\_  
Licensed Driller/Pump Installer

Date **4/16/01**

Signature \_\_\_\_\_

Date **MAY 17 2001**

Date **/**

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>TX Department of Criminal Justice</b>	Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
--------------------------------------------------	-------------------------------	-----------------------	--------------------	-----

**2) WELL LOCATION**

County <b>Trowis</b>	Physical Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
-------------------------	----------------------------------------	-----------------------	--------------------	-----

**3) Type of Work**

☒ New Well ☐ Deepening  
☐ Reconditioning  
**TMW-1**

**4) Proposed Use (check)** ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☒ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

**5) N↑**

**6) Drilling Date**

Started **1/23/01**  
Completed **1/23/01**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<b>8</b>	<b>SURFACE</b>	<b>35.0</b>

**7) Drilling Method (check)** ☐ Driven  
☐ Air Rotary ☐ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☒ Other **Hollow Stem Auger**

From (ft)	To (ft)	Description and color of formation material
<b>0</b>	<b>5</b>	<b>TOPSOIL, silty loam/ LEAN CLAY, silt, Fine sand, drk. brown</b>
<b>5</b>	<b>12</b>	<b>LEAN CLAY, silt, fine sand, drk. yellowish Brown</b>
<b>12</b>	<b>34</b>	<b>SILTY SAND, silt, lt. brown</b>
<b>34</b>	<b>35</b>	<b>POORLY GRADED SAND</b>

**8) Borehole Completion** ☐ Open Hole ☐ Straight Wall  
☐ Under-reamed ☐ Gravel Packed ☒ Other **PLUGGED**  
If Gravel Packed give the Interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<b>2</b>	<b>N</b>	<b>SCHL 40 PVC</b>	<b>0</b>	<b>25</b>	
<b>2</b>	<b>N</b>	<b>SCHL 40 PVC</b>	<b>25</b>	<b>35</b>	<b>0.010</b>

**13) Plugged**

**X Well plugged within 48 hours**

Casing left in well:		Cement/Bentonite placed in well:		Sacks used
From (ft)	To (ft)	From (ft)	To (ft)	
<b>NONE</b>		<b>0</b>	<b>35.0</b>	<b>5</b>

**9) Cementing Data**

Cementing from **0** ft. to **35.0** ft. # of sacks used **5**  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_  
Method Used **TREMIE**  
Cementing By **LAWRENCE TOBOLA**  
Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**14) Typepump**

☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

**15) Water Test**

**Type test** ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
☐ Yes **X NO** If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water \_\_\_\_\_ Depth of Strata \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☐ No

**10) Surface Completion**

**N/A**

☐ Specified Surface Slab Installed  
☐ Specified Surface Sleeve Installed  
☐ Pitless Adapter Used  
☐ Approved Alternative Procedure Used

**11) Water Level**

**29.0'**

Static level \_\_\_\_\_ ft. below \_\_\_\_\_ Date **/ /**  
Artesian Flow \_\_\_\_\_ gpm. Date **/ /**

**12) Packers**

Type

Depth

Well ID	SEQ #
<b>N/A</b>	

Company or Individual's Name (type or print) **BEST DRILLING SERVICES, INC.**

Lic. No. **3026-M**

Address **P.O. BOX 845**

City **FRIENDSWOOD MAY 17 2001 TX**

Zip **77549**

Signature **[Signature]** **4/16/01**  
Licensed Driller/Pump Installer Date

Signature **[Signature]** **/ /**  
Apprentice Date

**ORIGINAL**

Copies to TDLR - Owner - Driller/Pump Installer

Form provided by Forms On A Disk, Inc. (Dallas, Texas) (214) 340-9429



1-1-10-1

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
**Water Well Driller/Pump Installer Program**  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us  
**WELL REPORT**

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>TX Department of Criminal Justice</b>	Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
--------------------------------------------------	-------------------------------	-----------------------	--------------------	-----

**2) WELL LOCATION**

County <b>Trawis</b>	Physical Address <b>8101 FM 969</b>	City <b>Austin</b>	State <b>TX</b>	Zip
-------------------------	----------------------------------------	-----------------------	--------------------	-----

**3) Type of Work**

☒ New Well    ☐ Deepening  
☐ Reconditioning

**TMW-2**

**4) Proposed Use (check)**    ☐ Monitor    ☐ Environmental Soil Boring    ☐ Domestic  
☐ Industrial    ☐ Irrigation    ☐ Injection    ☐ Public Supply    ☐ De-watering    ☒ Testwell  
If Public Supply well, were plans submitted to the TNRCC?    ☐ Yes    ☐ No

**5) N↑**

**6) Drilling Date**

Started **1/23/01**

Completed **1/23/01**

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
-----------	-----------	---------

<b>8</b>	<b>SURFACE</b>	<b>44.0</b>
----------	----------------	-------------

**7) Drilling Method (check)**    ☐ Driven

☐ Air Rotary    ☐ Mud Rotary    ☐ Bored  
☐ Air Hammer    ☐ Cable Tool    ☐ Jetted  
☒ Other **Hollow Stem Auger**

From (ft)	To (ft)	Description and color of formation material
<b>0</b>	<b>8.5</b>	<b>TOPSOIL, silty loam/ LEAN CLAY, silt, Fine sand</b>
<b>8.5</b>	<b>19</b>	<b>SILTY SAND, lt. brown</b>
<b>19</b>	<b>44</b>	<b>POORLY GRADED SAND</b>

**8) Borehole Completion**    ☐ Open Hole    ☐ Straight Wall  
☐ Under-reamed    ☐ Gravel Packed    ☒ Other **PLUGGED**

If Gravel Packed give the Interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<b>2</b>	<b>N</b>	<b>SCHL 40 PVC</b>	<b>0</b>	<b>34</b>	
<b>2</b>	<b>N</b>	<b>SCHL 40 PVC</b>	<b>34</b>	<b>43.8</b>	<b>0.010</b>

**9) Cementing Data**

Cementing from **0** ft. to **44.0** ft. # of sacks used **8**  
ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_

Method Used **TREMIE**

Cementing By **LAWRENCE TOBOLA**

Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.

Method of verification of above distance \_\_\_\_\_

**13) Plugged**    **X** Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used
<b>NONE</b>		<b>0</b>	<b>44.0</b>	<b>8</b>

**14) Typepump**

☐ Turbine    ☐ Jet    ☐ Submersible    ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

**15) Water Test**

**N/A**  
Type test ☐ Pump    ☐ Bailer    ☐ Jetted    ☐ Estimated

Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?

☐ Yes    ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?

Type of water \_\_\_\_\_ Depth of Strata \_\_\_\_\_

Was a chemical analysis made?    ☐ Yes    ☐ No

**10) Surface Completion**

**N/A**

☐ Specified Surface Slab Installed  
☐ Specified Surface Sleeve Installed  
☐ Pitless Adapter Used  
☐ Approved Alternative Procedure Used

**11) Water Level**

**37.0'**

Static level \_\_\_\_\_ ft. below \_\_\_\_\_ Date **/ /**

Artesian Flow \_\_\_\_\_ gpm. Date **/ /**

**12) Packers**

Type

Depth

LT ID	SEQ #
-------	-------


<b>N/A</b>	
------------	--

--	--

EMP #	DESC CO
-------	---------

Company or Individual's Name (type or print) **BEST DRILLING SERVICES, INC.** **MAY 17 2001** **3026-M**

Address **P.O. BOX 845** City **FRIENDSWOOD** State **TX** Zip **77549**

Signature 	Date <b>4/16/01</b>	Signature _____	Date _____
Licensed Driller/Pump Installer	Date	Apprentice	Date



*Journal of Management Education* 30(6)

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse SideState of Texas  
WELL REPORTTexas Water Well Drillers Board  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER City of Austin (Name) ADDRESS PO Box 1088 Austin TX 78767 (Street or RFD) (City) (State) (Zip) 9812

2) LOCATION OF WELL:  
County Travis miles in 2 direction from Austin (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☐ SEE ATTACHED MAP 58-33-6

## 3) TYPE OF WORK (Check):

☒ ~~None~~ ☐ Deepening  
☐ Reconditioning ☐ Plugging

## 4) PROPOSED USE (Check):

☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply  
☐ Irrigation ☒ Test Well ☐ Injection ☐ De-Watering

## 5) DRILLING METHOD (Check):

☐ Driven  
☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored  
☒ Air Rotary ☐ Cable Tool ☐ Other \_\_\_\_\_

## 6) WELL LOG:

Date Drilling: \_\_\_\_\_  
Started 6-7 1994  
Completed 6-7 1994

## DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)  
7 Surface 100

## 7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0	2	black topsoil
2	10	brown clay
10	40	yellow clay
40	100	gray shale

## 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
		N/A			

## 9) CEMENTING DATA [Rule 287.44(1)]

Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_

\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_

Method used N/A

Cemented by \_\_\_\_\_

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

## 14) WELL TESTS:

Type Test: ☐ Pump ☒ Bailor ☐ Jetted ☐ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? none Depth of strata noneWas a chemical analysis made? ☐ Yes ☒ No

## 10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]  
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]  
☐ Pitless Adapter Used [Rule 287.44(3)(B)]  
☐ Approved Alternative Procedure Used [Rule 287.71]

## WATER LEVEL:

Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

## 12) PACKERS:

Type \_\_\_\_\_ Depth \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME ASSOCIATED DRILLING  
(Type or print)WELL DRILLER'S LICENSE NO. 1955ADDRESS PO BOX 1060  
(Street or RFD)MANHUALA  
(City)TX 78652  
(State) (Zip)(Signed) [Signature]  
(Licensed Well Driller)(Signed) \_\_\_\_\_  
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 5844-4 Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

**The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:**

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse SideState of Texas  
WELL REPORTTexas Water Well Drillers Board  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299 8812

1) OWNER City of Austin ADDRESS PO BOX 1088 Austin Tex. 787-67  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:  
County Travis 2 miles in W direction from Austin  
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☐ SEE ATTACHED MAP

58-33-6

## 3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

## 4) PROPOSED USE (Check):

☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply  
☐ Irrigation ☒ Test Well ☐ Injection ☐ De-Watering

## 5) DRILLING METHOD (Check):

☐ Driven  
☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored  
☒ Air Rotary ☐ Cable Tool ☐ Other \_\_\_\_\_

## 6) WELL LOG:

Date Drilling: \_\_\_\_\_  
 Started 6-7 1994  
 Completed 6-9 1994

## DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>7</u>	Surface	<u>740</u>

## 7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0	2	black topsoil
2	10	brown clay
10	40	yellow clay
40	420	gray shale
420	520	black shale
520	720	gray limestone
720	740	black shale

NO WATER

(Use reverse side if necessary)

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

## 14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailor ☐ Sealed ☐ Estimated  
 Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? None Depth of strata noneWas a chemical analysis made? ☐ Yes ☒ No

## 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
		N/A			

## 9) CEMENTING DATA [Rule 287.44(1)]

Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_  
 \_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_

Method used \_\_\_\_\_  
 Cemented by \_\_\_\_\_

## 10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]  
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]  
☐ Bitless Adapter Used [Rule 287.44(3)(B)]  
☐ Approved Alternative Procedure Used [Rule 287.71]

## 11) WATER LEVEL:

Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
 Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

## 12) PACKERS:

Type \_\_\_\_\_ Depth \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME ASSOCIATED DRILLING WELL DRILLER'S LICENSE NO. 1955  
(Type or print)ADDRESS PO BOX 1060 MANHACKA TEXAS 78652  
(Street or RFD) (City) (State) (Zip)(Signed) \_\_\_\_\_ (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 58-44-4 Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 58-44-4A  
Located on map yes  
Received: C.F.S.

1) OWNER Kent Geil (Name) Address Rt 2 Box 90 "B" Manor TX 78653 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Texas 2 miles in SE direction from Manor (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

#11.

☒ See attached map. repon 58-44-244

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☐ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☒ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):

☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☒ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:

Date drilled 7-1-82

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

9 Surface 60

9 and 100

9 -0- 100

7) BOREHOLE COMPLETION:

☒ Open Hole ☐ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.)

Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
0	60	clay with sand and sandstone			

Well #2

0-100 clay with sand and sandstone

CEMENTING DATA

Cemented from 2 dry holes ft.

Method used Cement plugged both

Cemented by C.F.S. (Company or Individual)

9) WATER LEVEL:

Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_

Artesian flow none Date \_\_\_\_\_

10) PACKERS: Type Depth

none

11) TYPE PUMP:

☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated

Yield: 0 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Byron E. Benoit Water Well Drillers Registration No. 1955  
(Type or Print)

ADDRESS 4431 Luckfinger Ln. Austin Tx 78745  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] Associated Drilling Co.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WATER WELL DRILLERS BOARD  
DEPARTMENT OF WATER RESOURCES  
1000 E. 17TH AVE., SUITE 100  
AUSTIN, TEXAS 78702